


High Security Seal · Data Sheet

# MCLZ 350



## Solid, Superior Cable Seals

**ISO 17712 “H” Compliant · C-TPAT Compliant**

The introduction of Mega Fortris’ new MCLZ range of cable security seals is a major step towards improving the security of the global supply chain. The security value of this unique product is unmatched in the security seal industry, and will provide our many security-conscious clients with an effective means to upgrade their supply chain security.

No other cable security seal offers equally high tamper evidence features, excellent protection against tamper attacks and a locking mechanism that is protected against picking.

### Features

- 1 Unique to the security seal industry, this 3rd generation cable security seal features a non-linear lock body design that prevents shim attacks. Shock-proof ABS is molded over the zinc lock body providing clear signs of tampering and enables clear laser marking of permanent seal number, bar code and customer name or logo.
- 2 One end of the cable is permanently secured in the lock body and is protected against tampering by a protruding wire guide (2a). The non-linear insert

hole features a locking mechanism design that offers unmatched protection against picking (2b).

- 3 The lock body of the MCL 350 Z features a large print space for laser marking which provides the most tamper-resistant and tamper-indicating properties, as it cannot be altered without showing clear signs of tampering.

### Technical Specifications

#### PRODUCT

Material	Standard Cable Size	Tensile Strength	Marking Area	Max Marking
<b>Body, Cover:</b> Zinc	Ø 3.5 mm x	1350 kgs/f	30 x 30 mm	<b>Serial no:</b> 10 digits
<b>Coating:</b> High-impact ABS	Length 280 mm	(2976 lb/f)	(1.18 x 1.18 in)	<b>Barcode:</b> 8 digits
<b>Locking Component:</b> Hardened Steel	(Ø 0.14 in x			
<b>Cable:</b> Non-Preformed Wire galvanised Iron	Length 11.0 in)			

#### OUTER CARTON

Carton Quantity	Dimensions	Weight kg/carton	Volume m <sup>3</sup> /carton	Standard Colours
150 pcs	160 x 270 x 300 mm (6.30 x 10.63 x 11.8 in)	9.75 kgs (21.45 lbs)	0.01296 m <sup>3</sup> (0.4577 ft <sup>3</sup> )	



**FMM EXCELLENCE AWARD 2012**  
QUEST FOR CONTINUOUS IMPROVEMENT  
BEST MANUFACTURER IN MALAYSIA IN 2012